

Approximation Schemes for the Betweenness Problem in Tournaments and Related Ranking Problems

Marek Karpinski*

Warren Schudy†

Abstract

We design the first *polynomial time approximation schemes (PTASs)* for the *Minimum Betweenness* problem in tournaments and some related higher arity ranking problems. This settles the approximation status of the Betweenness problem in tournaments along with other ranking problems which were open for some time now. We also show fixed parameter tractability of Betweenness in tournaments and improved fixed parameter algorithms for Feedback Arc Set in tournaments and Kemeny Rank Aggregation. The results depend on a new technique of dealing with fragile ranking constraints and could be of independent interest.

*Dept. of Computer Science and the Hausdorff Center for Mathematics, University of Bonn. Parts of this work done while visiting Microsoft Research. Email: marek@cs.uni-bonn.de

†Dept. of Computer Science, Brown University. Parts of this work done while visiting University of Bonn. Email: ws@cs.brown.edu

‡The authors thank the Hausdorff Research Institute for Mathematics for the kind support.

1 Introduction

We study the approximability of the Minimum Betweenness problem in tournaments (see [3]) that resisted so far efforts of designing polynomial time approximation algorithms with a constant approximation ratio. For the status of the general Betweenness problem, see e.g. [22, 13, 3, 12].

In this paper we design the first *polynomial time approximation scheme* (PTAS) for that problem, and generalize it to much more general class of ranking CSP problems, called here *fragile* problems. To our knowledge it is the first nontrivial approximation algorithm for the Betweenness problem in tournaments.

In the Betweenness problem we are given a ground set of *vertices* and a set of *betweenness constraints* involving 3 vertices and a *designated* vertex among them. The objective function of a ranking of the elements is the number of betweenness constraints for which the designated vertex is not between the other two vertices. The goal is to *minimize* the objective function. We refer to the Betweenness problem in tournaments, that is in instances with a constraint for every triple of vertices, as the BETWEENNESSTOUR or *fully dense* Betweenness problem (see [3]). We consider also the k -ary extension k -FAST of the Feedback Arc Set in tournaments (FAST) problem (see [20, 1, 4]).

We extend the above classes by introducing a more general class of *fragile ranking k -CSP* problems. A *constraint S* of a ranking k -CSP problem is called *fragile* if changing the relative order of a single vertex in S with respect to the rest of S makes it *unsatisfied* whenever S was satisfied by the original order. A *ranking k -CSP* problem is called *fragile* if all its constraints are fragile.

We now formulate our main results.

Theorem 1. *There exists a PTAS for the BETWEENNESSTOUR problem.*

The above answers an open problem of [3] on the approximation status of the Betweenness problem in tournaments.

We now formulate our first generalization.

Theorem 2. *There exist PTASs for all fragile ranking k -CSP problems in tournaments.*

Theorem 2 entails, among other things, existence of a PTAS for the k -ary extension of FAST.

Corollary 1. *There exists a PTAS for the k -FAST problem.*

We generalize BETWEENNESSTOUR to arities $k \geq 4$ by specifying for each constraint S a pair of vertices in S that must be placed at the ends of the ranking induced by the vertices in S . Such constraints do not satisfy our definition of fragile, but do satisfy a weaker notion that we call *weak fragility*. The definition of weakly fragile is identical to the definition for fragile except that only four particular single vertex moves are considered, namely swapping the first two vertices, swapping the last two, and moving the first or last vertex to the other end. We now formulate our most general theorem.

Theorem 3. *There exist PTASs for all weak-fragile ranking k -CSP problems in tournaments.*

Corollary 2. *There exists a PTAS for the k -BETWEENNESSTOUR problem.*

All our PTASs are randomized but one can easily derandomize them by exhaustively considering every possible random choice.

As an additional application of our techniques we improve the parameterized time complexity of several ranking problems.

Theorem 4. *There exists a parameterized subexponential algorithm for FAST with runtime $2^{O(\sqrt{K})} + n^{O(1)}$ for $OPT \leq K$. A variant of the algorithm uses $2^{O(\sqrt{K} \log K)} + n^{O(1)}$ time and $n^{O(1)}$ space.*

Both results in Theorem 4 improve the best up to now known parameterized runtime bound of Alon, Lokshtanov and Saurabh [6] for the feedback arc set tournament problem by a $\Theta(\log K)$ factor in the exponent. We also give improved results for the closely related problem of *Kemeny rank aggregation (KRA)*; see e.g. [2, 20].

Theorem 5. *Let m be the number of input rankings (voters), n the number of candidates, and $OPT \leq m \binom{n}{2}$ the (unscaled) optimum value. There exists a parameterized subexponential algorithm for Kemeny Rank Aggregation with runtime and space $2^{O(\sqrt{K})} + n^{O(1)}$ for $OPT/m \leq K$. A variant uses $2^{O(\sqrt{K} \log(K))} + n^{O(1)}$ time and $n^{O(1)}$ space.*

Note that our bound in Theorem 5 is based on an upper-bound K on the scaled optimum value OPT/m , that is the average distance from input rankings to the output ranking. This is arguably a more natural parameter than OPT itself. The best previously known runtime was $n^{O(1)} + 2^{O(K)}$ [10].*

We also give the first fixed-parameter tractability result for our fragile ranking generalization for arity 3.

Theorem 6. *There exist parameterized subexponential algorithms for all fragile rank CSPs on tournaments with arity three (e.g. 3-FAST and BETWEENNESSTOUR) with runtime $2^{O(\sqrt{K/n})} \cdot n^{O(1)}$ for $OPT \leq K$.*

For betweenness the previously best known runtime was $2^{O(K^{1/3} \log K)}$ [24]. Our result is better by a log factor in the exponent for the largest possible $K = \Theta(n^3)$ and even better for smaller K . Interestingly we can solve instances with K as large as $\Theta(n \log^2 n)$ in polynomial time!

We give the algorithms and the analysis of our PTAS in Sections 3-8. We state and analyze our exact algorithms in Section 9.

2 Intuition and main ideas

Our first key idea is analogous to the approximation of a differentiable function by a tangent line. Given a ranking π and any ranking CSP, the change in cost from switching to a similar ranking π' can be well approximated by the change in cost of a particular weighted feedback arc set problem (see proof of Lemma 25). Furthermore if the ranking CSP is fragile and fully dense the corresponding feedback arc set instance is a (weighted) tournament (Lemma 19). So *if* we somehow had access to a ranking similar to the optimum ranking π^* we could create this FAST instance and run the existing PTAS for FAST [20] to get a good ranking.

We do not have access to π^* but we can use a variant of the fragile techniques of [19] to get close. We pick a random sample of vertices and guess their location in the optimal ranking to within ϵn . We then create an ordering σ^1 greedily from the random sample. We show that this ordering is close to π^* , in that $|\pi^*(v) - \sigma^1(v)| = O(\epsilon n)$ for all but $O(\epsilon n)$ of the vertices (Lemma 14).

*Stated therein as runtime $2^{O(d_a)}$ where d_a is the average pairwise Kendall-Tau distance between the input rankings. We note that $d_a = \Theta(OPT/m)$ follows easily from the triangle inequality; see e.g. the classic proof that picking a random input ranking is a 2-approximation in expectation.

We then do a second greedy step (relative to σ^1), creating σ^2 . We then identify a set U of *unambiguous* vertices for which we know $|\pi^*(v) - \sigma^2(v)| = O(\epsilon n)$ (Lemma 18). We temporarily set aside the $O(OPT/(\epsilon n^{k-1}))$ (Lemma 17) remaining vertices. These two greedy steps are similar in spirit to previous work on ordinary (non-ranking) everywhere-dense fragile CSPs [19] but substantially more involved.

We then use σ^2 to create a FAST instance w that locally represents the CSP. Unfortunately the error in σ^2 causes the weights of w to have significant error (Lemma 21) even when $OPT \approx 0$. At first glance even an exact solution to this FAST problem would seem insufficient, for how can solving a problem similar to the desired one lead to a precisely correct solution? We show that FAST is tolerant of such errors (Lemma 25). The intuition for why this is possible is that minor adjustments to edge weights of a zero-cost FAST instance change the optimum *cost* but leave the optimum *ranking* unchanged.

Another difficulty is that the incorrect weights in FAST instance w may increase the optimum cost of w far above OPT , leaving the PTAS for FAST free to return a poor ranking. To remedy this we create a new FAST instance \bar{w} by canceling weight on opposing edges, i.e. reducing w_{uv} and w_{vu} by the same amount. The resulting simplified instance \bar{w} clearly has the same optimum ranking as w but a smaller optimum value. The PTAS for FAST requires that the ratio of the maximum and the minimum of $w_{uv} + w_{vu}$ must be bounded above by a constant so we limit the amount of cancellation to ensure this (Lemma 19). It turns out that this cancellation trick is sufficient to ensure that the PTAS for FAST does not introduce too much error (Lemma 22).

Finally we greedily insert the relatively few ambiguous vertices into the ranking output by the PTAS for FAST.

3 Approximation Algorithm

First we state some core notation. Throughout this paper let V refer to the set of objects (vertices) being ranked and n denotes $|V|$. Our $O(\cdot)$ hides k but not ϵ or n . Our $\tilde{O}(\cdot)$ hides $(\log(1/\epsilon))^{O(1)}$. A *ranking* is a bijective mapping from a ground set $S \subseteq V$ to $\{1, 2, 3, \dots, |S|\}$. An *ordering* is an injection from S into \mathbb{R} . We use π and σ (plus superscripts) to denote orderings and rankings respectively. Let π^* denote an optimal ordering and OPT its cost. We let $\binom{n}{k}$ (for example) denote the standard binomial coefficient and $\binom{V}{k}$ denote the set of subsets of set V of size k .

For any ordering σ let $Ranking(\sigma)$ denote the ranking naturally associated with σ . To help prevent ties we relabel the vertices so that $V = \{1, 2, 3, \dots, |V|\}$. We will often choose to place u in one of $O(1/\epsilon)$ positions $\mathcal{P}(u) = \{j\epsilon n + u/(n+1), 0 \leq j \leq 1/\epsilon\}$ (the $u/(n+1)$ term breaks ties), where $\epsilon > 0$ is the desired approximation parameter. We say that an ordering is a *bucketed ordering* if $\sigma(u) \in \mathcal{P}(u)$ for all u . Let $Round(\pi)$ denote the bucketed ordering corresponding to π (rounding down), i.e. $Round(\pi)(u)$ equals $\pi(u)$ rounded down to the nearest multiple of ϵn , plus $u/(n+1)$.

Let $v \mapsto p$ denote the ordering over $\{v\}$ which maps v to p . For set Q of vertices and ordering σ with domain including Q let $Q \mapsto \sigma$ denote the ordering over Q which maps $u \in Q$ to $\sigma(u)$, i.e. the restriction of σ to Q . For orderings σ^1 and σ^2 with disjoint domains let $\sigma^1 | \sigma^2$ denote the natural combined ordering over $Domain(\sigma^1) \cup Domain(\sigma^2)$. For example of our notations, $Q \mapsto \sigma | v \mapsto p$ denotes the ordering over $Q \cup \{v\}$ that maps v to p and $u \in Q$ to $\sigma(u)$.

A ranking k -CSP consists of a ground set V of *vertices*, an arity $k \geq 2$, and a *constraint system* c , where c is a function from rankings of k vertices to $\{0, 1\}$.[†] We say that a subset $S \subset V$ of size

[†]Our results transparently generalize to the $[0, 1]$ case as well, but the $0/1$ case allows simpler terminology.

k is *satisfied* in ordering σ of S if $c(\text{Ranking}(\sigma)) = 0$. For brevity we henceforth abuse notation and omit the “Ranking” and write simply $c(\sigma)$. The objective of a ranking CSP is to find an ordering σ (w.l.o.g. a ranking) minimizing the number of unsatisfied constraints, which we denote by $C^c(\sigma) = \sum_{S \in \binom{\text{Domain}(\sigma)}{k}} c(S \mapsto \sigma)$. We will frequently omit the superscript c , in which case it should be understood to be the constraint system of the overall problem we are trying to solve.

Abusing notation we sometimes refer to $S \subseteq V$ as a *constraint*, when we really are referring to $c(S \mapsto \cdot)$. A constraint S is *fragile* if whenever it is satisfied making any single vertex move that changes the relative order of the vertices in S makes it unsatisfied. In other words constraint S is fragile if $c(S \rightarrow \pi) + c(S \rightarrow \pi') \geq 1$ for all rankings π and π' over S that differ by a single vertex move, i.e. $\pi' = \text{Ranking}(v \rightarrow p | S \setminus \{v\} \rightarrow \pi)$ for some $v \in S$ and $p \in (\mathbb{Z} + 1/2)$.

A constraint S is *weakly fragile* if $c(S \rightarrow \pi) + c(S \rightarrow \pi') \geq 1$ for all rankings π and π' that differ by a swap of the first two vertices, the last two, or cyclic shift of a single vertex. In other words $\pi' = \text{Ranking}(v \rightarrow p | S \setminus \{v\} \rightarrow \pi)$ for some $v \in S$ and $p \in \mathbb{R}$ with $(\pi(v), p) \in \{(1, 2 + \frac{1}{2}), (1, k + \frac{1}{2}), (k, k - \frac{3}{2}), (k, \frac{1}{2})\}$. Observe that this is equivalent to ordinary fragility for $k \leq 3$.

Our techniques handle ranking CSPs that are *fully dense* with weakly fragile constraints, i.e. every set S of k vertices corresponds to a weakly fragile constraint. Fully dense instances are also known as tournaments.

Let $b^c(\sigma, v, p) = \sum_{Q: \dots} c(Q \mapsto \sigma | v \mapsto p)$, where the sum is over sets $Q \subseteq \text{Domain}(\sigma) \setminus \{v\}$ of size $k - 1$. Note that this definition is valid regardless of whether or not v is in $\text{Domain}(\sigma)$. The only requirement is that the range of σ excluding $\sigma(v)$ must not contain p . This ensures that the argument to $c(\cdot)$ is an ordering (injective). We will usually omit the superscript c (as with C).

We call a non-negative weight function w over the edges of the complete graph induced by some vertex set U a *FAS instance*. We can express the FAST problem in our framework by the correspondence $c(u \mapsto x | v \mapsto y) = \begin{cases} w_{vu} & \text{if } x < y \\ w_{uv} & \text{otherwise} \end{cases}$. Abusing notation slightly we also write $C^w(\sigma)$ for $C^c(\sigma)$ with the above c . More concretely $C^w(\sigma) = \sum_{u, v: \sigma(u) > \sigma(v)} w_{uv}$. Similarly we write $b^w(\sigma, v, p) = \sum_{u \neq v} \begin{cases} w_{uv} & \text{if } \sigma(u) > p \\ w_{vu} & \text{if } \sigma(u) < p \end{cases}$. Observe that FAST captures all possible fragile constraints with $k = 2$. We generalize to k -FAST as follows: a k -FAST constraint over S is satisfied by one particular ranking of S and no others.

We generalize BETWEENNESSTOUR to $k \geq 4$ as follows. Each constraint S designates two vertices $\{u, v\}$, which must be the first and last positions, i.e. if π is the ranking of the vertices in S then $c(\pi) = \mathbb{1}(\{\pi(u), \pi(v)\} \neq \{1, k\})$.

We use the following two results from the literature.

Theorem 7 ([20]). *Let w be a FAS instance satisfying $\alpha \leq w_{uv} + w_{vu} \leq \beta$ for $\alpha, \beta > 0$ and $\beta/\alpha = O(1)$. There is a PTAS for the problem of finding a ranking π minimizing $C^w(\pi)$ with runtime $n^{O(1)} 2^{\tilde{O}(1/\epsilon^6)}$.*

Theorem 8 (e.g. [7, 21]). *For any k -ary MIN-CSP and $\delta > 0$ there is an algorithm that produces a solution with cost at most δn^k more than optimal. Its runtime is $n^{O(1)} 2^{O(1/\delta^2)}$.*

Theorem 8 entails the following corollary.

Corollary 9. *For any $\delta > 0$ and constraint system c there is an algorithm ADDAPPROX for the problem of finding a ranking π with $C(\pi) \leq C(\pi^*) + \delta n^k$. Its runtime is $n^{O(1)} 2^{\tilde{O}(1/\delta^2)}$.*

For any ordering σ with domain U let w_{uv}^σ equal the number of the constraints $\{u, v\} \subseteq S \subseteq U$ with $c(\sigma') = 1$ where (1) $\sigma' = S \setminus \{v\} \mapsto \sigma | v \mapsto p$, (2) $p = \sigma(u) - \delta$ if $\sigma(v) > \sigma(u)$ and $p = \sigma(v)$

Algorithm 1 A $1 + O(\epsilon)$ -approximation for weak fragile rank k -CSPs in tournaments.

Input: Vertex set V , $|V| = n$, arity k , system c of fully dense arity k constraints, and approximation parameter $\epsilon > 0$.

- 1: Run ADDAPPROX($\epsilon^5 n^k$) and return the result if its cost is at least $\epsilon^4 n^k$
 - 2: Pick sets T_1, \dots, T_t uniformly at random with replacement from $\binom{V}{k-1}$, where $t = \frac{14 \ln(40/\epsilon)}{\binom{k}{2} \epsilon}$.
 Guess (by exhaustion) bucketed ordering σ^0 , which is the restriction of $\text{Round}(\pi^*)$ to the sampled vertices $\bigcup_i T_i$.
 - 3: Compute bucketed ordering σ^1 greedily with respect to the random samples and σ^0 :
 $\sigma^1(u) = \operatorname{argmin}_{p \in \mathcal{P}(u)} \hat{b}(u, p)$ where $\hat{b}(u, p) = \frac{\binom{n}{k-1}}{t} \sum_{i: u \notin T_i} c(T_i \mapsto \sigma^0 | v \mapsto p)$.
 - 4: For each vertex v : If $b(\sigma^1, v, p) \leq 13k^4 3^{k-1} \epsilon \binom{n-1}{k-1}$ for some $p \in \mathcal{P}(v)$ then call v *unambiguous* and set $\sigma^2(v)$ to the corresponding p (pick any if multiple p satisfy). Let U denote the set of unambiguous vertices, which is the domain of bucketed ordering σ^2 .
 - 5: Compute feedback arc set instance over unambiguous vertices U with weights $\bar{w}_{uv}^{\sigma^2}$ (see text). Solve it using FAST PTAS. Do single vertex moves until local optimality (with respect to FAST objective function), yielding ranking π^3 of U .
 - 6: Create ordering σ^4 over V defined by $\sigma^4(u) = \begin{cases} \pi^3(u) & \text{if } u \in U \\ \operatorname{argmin}_{p=v/(n+1)+j, 0 \leq j \leq n} b(\pi^3, u, p) & \text{otherwise} \end{cases}$.
 In other words insert each vertex $v \in V \setminus U$ into $\pi^3(v)$ greedily.
 - 7: Return $\pi^4 = \text{Ranking}(\sigma^4)$.
-

otherwise, and (3) $\delta > 0$ is sufficiently small to put p adjacent to $\sigma(u)$. In other words if v is after u in σ it is placed immediately before v in σ' . Observe that $0 \leq w_{uv} \leq \binom{|U|-2}{k-2}$. We use the abbreviation $C^{\sigma'}(\sigma) = C^{w^{\sigma'}}(\sigma)$. The following Lemma follows easily from the definitions.

Lemma 10. *For any ordering σ we have (1) $C^\sigma(\sigma) = \binom{k}{2} C(\sigma)$ and (2) $b^{w^\sigma}(\sigma, v, \sigma(v)) = (k-1) \cdot b(\sigma, v, \sigma(v))$ for all v .*

Proof. Observe that all w_{uv} that contribute to $C^\sigma(\sigma)$ or $b^{w^\sigma}(\sigma, v, \sigma(v))$ satisfy $\sigma(u) > \sigma(v)$ and hence such w_{uv} are equal to the number of constraints containing u and v that are unsatisfied in σ . The $\binom{k}{2}$ and $k-1$ factors appear because constraints are counted multiple times. \square

We define $\bar{w}_{uv}^\sigma = w_{uv}^\sigma - \min(\frac{1}{10 \cdot 3^{k-1}} \binom{n-2}{k-2}, w_{uv}^\sigma, w_{vu}^\sigma)$, where U is the domain of σ . Let $\bar{C}^\sigma(\sigma') = C^{\bar{w}^\sigma}(\sigma')$. Observe that w and \bar{w} are equivalent from an exact solution point of view, but \bar{w} has a smaller objective value for approximation purposes. In other words $C^\sigma(\pi') - C^\sigma(\pi^\circ) = \bar{C}^\sigma(\pi') - \bar{C}^\sigma(\pi^\circ)$ for all rankings π' and π° .

For any orderings σ and σ' with domain U , we say that $\{u, v\} \subseteq U$ is a σ/σ' -inversion if $\sigma(u) - \sigma(v)$ and $\sigma'(u) - \sigma'(v)$ have different signs. Let $d(\sigma, \sigma')$ denote the number of σ/σ' -inversions (a.k.a. Kendall Tau distance). We say that v does a *left to right* (σ, p, σ', p') -crossing if $\sigma(v) < p$ and $\sigma'(v) > p'$. We say that v does a *right to left* $(\sigma, p/\sigma', p')$ -crossing if $\sigma(v) > p$ and $\sigma'(v) < p'$. We say that v does a (σ, p, σ', p') -crossing if v does a crossing of either sort. We say that u σ/σ' -crosses $p \in \mathbb{R}$ if it does a (σ, p, σ', p) -crossing.

With these notations in hand we now formalize the ideas described in Section 2 in our Algorithm 1. The non-deterministic “guess (by exhaustive sampling)” on line 2 of our algorithm should be implemented in the traditional manner: place the remainder of the algorithm in a loop over possible orderings of the sample, with the overall return value equal to the best of the π^4 rankings found. Our

algorithm can be derandomized by choosing T_1, \dots, T_t non-deterministically rather than randomly; see Section 4 for details.

If $OPT \geq \epsilon^4 n^k$ then the first line of the algorithm is sufficient for a PTAS so for the remainder of the analysis we assume that $OPT \leq \epsilon^4 n^k$. For most of the analysis we actually need something weaker, namely that OPT is at most some sufficiently small constant times $\epsilon^2 n^k$. We only need the full $OPT \leq \epsilon^4 n^k$ in one place in Section 8.

4 Runtime analysis

By Theorem 9 the additive approximation step takes time $n^{O(1)} 2^{\tilde{O}(1/\epsilon^{10})}$. There are at most $(1/\epsilon)^{t \cdot (k-1)} = 2^{\tilde{O}(1/\epsilon)}$ bucketed orderings σ^0 to try. The PTAS for FAST takes time $n^{O(1)} 2^{\tilde{O}(1/\epsilon^6)}$ by Theorem 7. The overall runtime is

$$n^{O(1)} 2^{\tilde{O}(1/\epsilon^{10})} + 2^{\tilde{O}(1/\epsilon)} \cdot (n^{O(1)} + n^{O(1)} 2^{\tilde{O}(1/\epsilon^6)}) = n^{O(1)} 2^{\tilde{O}(1/\epsilon^{10})}.$$

Derandomization increases the runtime of the two algorithms that we use as subroutines to $n^{\text{poly}(1/\epsilon)}$. There are at most $n^{t \cdot (k-1)} = n^{\tilde{O}(1/\epsilon)}$ possible sets T_1, \dots, T_t that the derandomized algorithm must consider. Therefore the overall runtime is

$$(n^{\text{poly}(1/\epsilon)} + n^{\text{poly}(1/\epsilon)}) \cdot 2^{\tilde{O}(1/\epsilon)} \cdot n^{\text{poly}(1/\epsilon)} = n^{\text{poly}(1/\epsilon)}.$$

5 Analysis of σ^1

Let $\sigma^\square = \text{Round}(\pi^*)$. Call vertex v *costly* if $b(\sigma^\square, v, \sigma^\square(v)) \geq 2 \binom{k}{2} \epsilon \binom{n-1}{k-1}$ and *non-costly* otherwise.

Lemma 11. *The number of costly vertices is at most $\frac{k \cdot OPT}{\epsilon \binom{k}{2} \binom{n-1}{k-1}}$.*

Proof. First observe that for any costly v we have

$$2 \binom{k}{2} \epsilon \binom{n-1}{k-1} \leq b(\sigma^\square, v, \sigma^\square(v)) \leq b(\pi^*, v, \pi^*(v)) + \epsilon \binom{k}{2} \cdot \binom{n-1}{k-1}$$

since only at most a $\epsilon \binom{k}{2}$ fraction of the $\binom{n-1}{k-1}$ possible constraints contain a π^*/σ^\square -inversion. Therefore

$$b(\pi^*, v, \pi^*(v)) \geq 2 \binom{k}{2} \epsilon \binom{n-1}{k-1} - \epsilon \binom{k}{2} \cdot \binom{n-1}{k-1} = \epsilon \binom{k}{2} \cdot \binom{n-1}{k-1}$$

Secondly observe that $kC(\pi^*) = \sum_v b(\pi^*, v, \pi^*(v)) \geq (\text{number costly}) \epsilon \binom{k}{2} \binom{n-1}{k-1}$, completing the proof. \square

Lemma 12. *Let σ be an ordering of V , $|V| = n$, $v \in V$ be a vertex and $p, p' \in \mathbb{R}$. Let B be the set of vertices (excluding v) between p and p' in σ . Then $b(\sigma, v, p) + b(\sigma, v, p') \geq \frac{|B|}{(n-1)3^{k-1}} \binom{n-1}{k-1}$.*

Proof. By definition

$$b(\sigma, v, p) + b(\sigma, v, p') = \sum_{Q: \dots} [c(Q \mapsto \sigma | v \mapsto p) + c(Q \mapsto \sigma | v \mapsto p')] \quad (1)$$

where the sum is over sets $Q \subseteq U \setminus \{v\}$ of $k-1$ vertices. Observe by weak fragility that the quantity in brackets in (1) is at least 1 for every Q that either has all $k-1$ vertices between p and p' in σ^2 or has one vertex between them and the remaining $k-2$ either all before or all after.

We consider two cases. If $|B| \geq |V|/3$ then the number of such Q is at least $\binom{|B|}{k-1} = \frac{|B|}{k-1} \binom{|B|-1}{k-2} \geq \frac{|B|}{2 \cdot (k-1) 3^{k-2}} \binom{n-2}{k-2}$ for sufficiently large n . If $|B| < |V|/3$ then either at least $|V|/3$ vertices are before or at least $|V|/3$ vertices are after hence the number of such Q is at least $|B| \binom{|V|/3}{k-2} \geq \frac{|B|}{2 \cdot 3^{k-2}} \binom{n-2}{k-2} \geq \frac{|B|}{(k-1) \cdot 3^{k-1}} \binom{n-2}{k-2}$ for sufficiently large n . \square

For vertex v we say that a position $p \in \mathcal{P}(v)$ is *v-out of place* if there are at least $6 \binom{k}{2} 3^{k-1} \epsilon n$ vertices between p and $\sigma^\square(v)$ in σ^\square . We say vertex v is *out of place* if $\sigma^1(v)$ is v-out of place.

Lemma 13. *The number of non-costly out of place vertices is at most $\epsilon n/2$ with probability at least $9/10$.*

Proof. Focus on some $v \in V$ and $p \in \mathcal{P}(v)$. From the definition of out-of-place and Lemma 12 we have

$$b(\sigma^\square, v, \sigma^\square) + b(\sigma^\square, v, p) \geq \frac{6 \binom{k}{2} 3^{k-1} \epsilon n}{(n-1) 3^{k-1}} \binom{n-1}{k-1} \geq 6 \epsilon \binom{k}{2} \binom{n-1}{k-1}$$

for any v-out of place p . Next recall that for costly v we have

$$b(\sigma^\square, v, \sigma^\square(v)) \leq 2 \binom{k}{2} \epsilon \binom{n-1}{k-1} \quad (2)$$

hence

$$b(\sigma^\square, v, p) \geq 4 \binom{k}{2} \epsilon \binom{n-1}{k-1} \quad (3)$$

for any v-out of place p .

Recall that

$$\hat{b}(v, p) = \frac{\binom{n}{k-1}}{t} \sum_{i: v \notin T_i} c(T_i \mapsto \sigma^0 | v \mapsto p)$$

for any p . Each term of the sum is a 0/1 random variable with mean $\mu(p) = \frac{1}{\binom{n}{k-1}} \sum_{Q \in \binom{V}{k-1}: v \notin Q} c(Q \mapsto \sigma^\square | v \mapsto p) = \frac{1}{\binom{n}{k-1}} b(\sigma^\square, v, p)$. Therefore $\mathbf{E} [\hat{b}(v, p)] = b(\sigma^\square, v, p)$. We can bound $\mu(\sigma^\square(v)) \leq 2 \binom{k}{2} \epsilon \binom{n-1}{k-1} / \binom{n}{k-1} \equiv M$ using (2). For any v-out of place p we can bound $\mu(p) \geq 2M$ by (3).

We can bound the probability that sum in $\hat{b}(v, \sigma^\square(v))$ is at least $(1 + 1/3)Mt$ using a Chernoff bound as

$$\exp(-(1/3)^2 Mt/3) \leq \exp\left(-\frac{1}{9} \cdot \frac{1}{\binom{n}{k-1}} \cdot 2 \binom{k}{2} \epsilon \binom{n-1}{k-1} \cdot \frac{14 \ln(40/\epsilon)}{\binom{k}{2} \epsilon} \cdot \frac{1}{3}\right) \leq \epsilon/40$$

for sufficiently large n . Similarly for any v-out of place p we can bound the probability that $\hat{b}(v, p)$ is at most $(1 - 1/3)Mt$ by $\exp(-(1/3)^2 Mt/2) \leq (\epsilon/40)^3$. Therefore by union bound the probability of some v-out of place p having $\hat{b}(v, p)$ too small is at most $\epsilon^2/40^3 \leq \epsilon/40$. Clearly $4(1 - 1/3) \geq 2(1 + 1/3)$ so each vertex v is out of place with probability at least $\epsilon/20$. A Markov bound completes the proof. \square

Lemma 14. *With probability at least $9/10$ we have*

1. The number of out of place vertices is at most ϵn .
2. The number of vertices v with $|\sigma^1(v) - \sigma^\square(v)| > 3k^2 3^{k-1} \epsilon n$ is at most ϵn
3. $d(\sigma^1, \sigma^\square) \leq 6k^2 3^{k-1} \epsilon n^2$

Proof. By Lemma 11 and the fact $OPT \leq \epsilon^4 n^k$ we have at most $\frac{k \cdot OPT}{\binom{k}{2} \epsilon^{\binom{n-1}{k-1}}} \leq \epsilon n/2$ costly vertices for n sufficiently large. Therefore Lemma 13 implies the first part of the Lemma.

Observe that any vertex with $|\sigma^1(v) - \sigma^\square(v)| > 3k^2 \epsilon n \geq (6\binom{k}{2} + 1)\epsilon n$ must necessarily be v -out of place, completing the proof of the second part of the Lemma.

For the final part observe that if u and v are a σ^1/σ^\square -inversion and not among the ϵn out of place vertices then there can be at most $2 \cdot 6\binom{k}{2} 3^{k-1} \epsilon n$ vertices between $\sigma^\square(v)$ and $\sigma^\square(u)$ in σ^\square . Each u therefore only $24\binom{k}{2} 3^{k-1} \epsilon n$ possibilities for v . Therefore $d(\sigma^1, \sigma^\square) \leq \epsilon n^2 + 24\binom{k}{2} 3^{k-1} \epsilon n \cdot n/2 \leq 6\epsilon k^2 3^{k-1} n^2$. \square

Our remaining analysis is deterministic, conditioned on the event of Lemma 14 holding.

6 Analysis of σ^2

The following key Lemma shows the sensitivity of $b(\sigma, v, p)$ to its first and third arguments.

Lemma 15. *For any constraint system c with arity $k \geq 2$, orderings σ and σ' over vertex set $T \subseteq V$, vertex $v \in V$ and $p, p' \in \mathbb{R}$ we have*

1. $|b^c(\sigma, v, p) - b^c(\sigma', v, p')| \leq \binom{n-2}{k-2} (\text{number of crossings}) + \binom{n-3}{k-3} d(\sigma, \sigma')$
2. $|b^c(\sigma, v, p) - b^c(\sigma', v, p')| \leq \binom{n-2}{k-2} (|\text{net flow}| + k\sqrt{d(\sigma, \sigma')})$

where $\binom{n-3}{k-3} = 0$ if $k = 2$, (*net flow*) is $|\{v \in T : \sigma'(v) > p'\}| - |\{v \in T : \sigma(v) > p\}|$, and (*number of crossings*) is the number of $v \in T$ that do a (σ, p, σ', p') -crossing.

Proof. Fix σ, σ', T, v, p and p' . Let L (resp. R) denote the vertices in T that do left to right (resp. right to left) (σ, p, σ', p') -crossings. It is easy to see that a constraint $\{v\} \cup Q$, $Q \in \binom{T \setminus \{v\}}{k-1}$ contributes identically to $b(\sigma, v, p)$ and $b(\sigma', v, p')$ unless either:

1. Q and $(L \cup R)$ have non-empty intersection (or)
2. Q contains a σ/σ' -inversion $\{s, t\}$.

The first part of the Lemma follows easily.

Towards proving the second part we first bound $|L| + |R|$. Observe that $|L| = |R| + (\text{net flow})$. Assume w.l.o.g. that $(\text{net flow}) \geq 0$. Observe that every pair $v \in L$ and $w \in R$ are a σ/σ' -inversion, hence $d(\sigma, \sigma') \geq |L| \cdot |R| = (|R| + (\text{net flow}))|R| \geq |R|^2$. We conclude that $|L| + |R| = 2|R| + (\text{net flow}) \leq 2\sqrt{d(\sigma, \sigma')} + (\text{net flow})$. Therefore the number of constraints of the first type is at most $\binom{n-2}{k-2} (2\sqrt{d(\sigma, \sigma')} + (\text{net flow}))$.

To simplify we bound

$$\begin{aligned} \binom{n-3}{k-3} d(\sigma, \sigma') &= \binom{n-2}{k-2} \sqrt{d(\sigma, \sigma')} \cdot \frac{k-2}{n-2} \cdot \sqrt{d(\sigma, \sigma')} \\ &\leq \binom{n-2}{k-2} \sqrt{d(\sigma, \sigma')} \cdot (k-2) \frac{\sqrt{n(n-1)/2}}{n-2} \leq (k-2) \binom{n-2}{k-2} \sqrt{d(\sigma, \sigma')} \end{aligned}$$

for sufficiently large n . \square

Observe that the quantity *net flow* in Lemma 15 is zero whenever $p = p'$ and σ and σ' are both *rankings*. Therefore we have the following useful corollary.

Corollary 16. *Let π and π' be rankings over vertex set U and w a FAST instance over U . Then $|b^w(\pi, v, p) - b^w(\pi', v, p)| \leq 2(\max_{r,s} w_{rs}) \sqrt{d(\pi, \pi')}$ for all v and $p \in \mathbb{R} \setminus \mathbb{Z}$.*

Lemma 17. *For U in Algorithm 1 we have $|V \setminus U| \leq \frac{k \cdot OPT}{\epsilon \binom{k}{2} \binom{n-1}{k-1}} = O(\frac{n}{\epsilon} \cdot \frac{OPT}{n^k})$.*

Proof. Observe that the number of vertices that σ^\square/σ^1 -cross a particular p is at most $2 \cdot 6k^2 3^{k-1} \epsilon n$ by Lemma 14 (first part). Therefore we apply Lemmas 14 and 15, yielding

$$|b(\sigma^\square, v, p) - b(\sigma^1, v, p)| \leq \binom{n-2}{k-2} 12k^2 3^{k-1} \epsilon n + \binom{n-3}{k-3} 6k^2 3^{k-1} \epsilon n^2 \leq 12\epsilon k^4 3^{k-1} \binom{n-1}{k-1} \quad (4)$$

for all v and p .

Fix a non-costly v . By definition of costly $b(\sigma^\square, v, \sigma^\square(v)) \leq 2 \binom{k}{2} \epsilon \binom{n-1}{k-1} \leq k^4 3^{k-1} \epsilon \binom{n-1}{k-1}$, hence $b(\sigma^1, v, \sigma^\square(v)) \leq 13k^4 3^{k-1} \epsilon \binom{n-1}{k-1}$, so $v \in U$.

Finally recall Lemma 11. \square

We define π^\otimes to be the ranking induced by the restriction of π^* to U , i.e. $\pi^\otimes = \text{Ranking}(U \mapsto \pi^*)$.

Lemma 18. *All vertices in the unambiguous set U satisfy $|\sigma^2(v) - \pi^\otimes(v)| = O(\epsilon n)$.*

Proof. Since π^* is a ranking the number of vertices $|B|$ between $\pi^*(v)$ and $\sigma^2(v)$ in π^* is at least $|\pi^*(v) - \sigma^2(v)| - 1$. Therefore by Lemma 12 we have

$$\begin{aligned} \frac{|\pi^*(v) - \sigma^2(v)| - 1}{(n-1)3^{k-1}} \binom{n-1}{k-1} &\leq b(\pi^*, v, \sigma^2(v)) + b(\pi^*, v, \pi^*(v)) && \text{(Lemma 12)} \\ &\leq 2b(\pi^*, v, \sigma^2(v)) && \text{(Optimality of } \pi^*) \end{aligned}$$

We proceed

$$\begin{aligned} b(\pi^*, v, \sigma^2(v)) &\leq b(\sigma^\square, v, \sigma^2(v)) + O(\epsilon n^{k-1}) && \text{(Lemma 15, part one)} \\ &\leq b(\sigma^1, v, \sigma^2(v)) + O(\epsilon n^{k-1}) + O(\epsilon n^{k-1}) && (4) \\ &= O(\epsilon n^{k-1}) && \text{(Definition of } U) \end{aligned}$$

hence we conclude $|\pi^*(v) - \sigma^2(v)| = O(\epsilon n)$.

Finally we conclude

$$\begin{aligned} |\pi^\otimes(v) - \sigma^2(v)| &\leq |\pi^\otimes(v) - \pi^*(v)| + |\pi^*(v) - \sigma^2(v)| = |\pi^\otimes(v) - \pi^*(v)| + O(\epsilon n) \\ &\leq \frac{k \cdot OPT}{\epsilon \binom{k}{2} \binom{n-1}{k-1}} + O(\epsilon n) && \text{(Lemma 17)} \\ &= O(\epsilon n). \end{aligned}$$

\square

7 Analysis of π^3

Note that all orderings and costs in this section are over U , not V . We note by Lemma 17 that $|U| = n - o(n)$.

Lemma 19. $\frac{1}{3^{k-1}}(1 - 2/10)\binom{|U|-2}{k-2} \leq \bar{w}_{uv}^{\sigma^2} + \bar{w}_{vu}^{\sigma^2} \leq 2\binom{|U|-2}{k-2}$, i.e. \bar{w}^{σ^2} is a weighted FAST instance.

Proof. We prove the more interesting lower-bound and leave the straightforward proof of the upper bound to the reader. Fix $u, v \in U$. We consider two cases.

If there are at least $|U|/3$ vertices between u and v in σ^2 then we note that by weak fragility every constraint $S \supseteq \{u, v\}$ with all vertices in S between u and v in σ^2 contributes at least 1 to $w_{uv} + w_{vu}$. Therefore $w_{uv} + w_{vu} \geq \binom{|U|/3}{k-2} \geq \frac{1}{2 \cdot 3^{k-2}} \binom{n-2}{k-2}$ for sufficiently large n and small ϵ .

If there are at most $|U|/3$ vertices between u and v in σ^2 then consider constraints with all their vertices either all before or all after u and v . We note that by weak fragility each such constraint $S \supseteq \{u, v\}$ contributes at least 1 to $w_{uv} + w_{vu}$. There are clearly either at least $|U|/3$ vertices before or at least $|U|/3$ vertices after, hence at least $\binom{|U|/3}{k-2} \geq \frac{1}{2 \cdot 3^{k-2}} \binom{n-2}{k-2}$ constraints for sufficiently large n and small ϵ .

We conclude that $w_{uv} + w_{vu} \geq \frac{1}{2 \cdot 3^{k-2}} \binom{n-2}{k-2} \geq \frac{1}{3^{k-1}} \binom{n-2}{k-2}$. The Lemma follows from the definition of \bar{w} . \square

We define the shorthand $OPT_U = C(\pi^{\otimes})$.

Lemma 20. Assume ranking π and ordering σ satisfy $|\pi(u) - \sigma(u)| = O(\epsilon n)$ for all u . For any u, v , let N_{uv} denote the number of $S \supset \{u, v\}$ such that not all pairs $\{s, t\} \neq \{u, v\}$ are in the same order in σ and π . We have $N_{uv} = O(\epsilon n^{k-2})$.

Proof. Such a pair $\{s, t\}$ must satisfy $|\pi(s) - \pi(t)| = 2 \cdot O(\epsilon n)$, but few constraints contain such a pair. \square

Lemma 21. The following inequalities hold:

1. $w_{uv}^{\sigma^2} \leq w_{uv}^{\pi^{\otimes}} + O(\epsilon n^{k-2})$
2. $\bar{w}_{uv}^{\sigma^2} \leq (1 + O(\epsilon))w_{uv}^{\pi^{\otimes}}$

Proof. The only constraints $S \supset \{u, v\}$ that contribute differently to the left- and right-hand sides of the first part are those containing a $\{s, t\} \neq \{u, v\}$ that are a σ^2/π^{\otimes} -inversion. By Lemmas 18 and 20 we can bound the number of such constraints by $O(\epsilon n^k)$, completing the proof of the first part.

If $w_{uv}^{\pi^{\otimes}} \geq \frac{1}{2 \cdot 3^{k-1}} \binom{|U|-2}{k-2}$ the second part follows from the first part and the trivial fact $\bar{w} \leq w$. Otherwise by the first part we have $w_{uv}^{\sigma^2} < 0.6 \frac{1}{3^{k-1}} \binom{|U|-2}{k-2}$. Therefore by Lemma 19 $w_{vu}^{\sigma^2} > 0.2 \frac{1}{3^{k-1}} \binom{|U|-2}{k-2}$ hence $\bar{w}_{uv}^{\sigma^2} = w_{uv}^{\sigma^2} - \min(0.1 \frac{1}{3^{k-1}} \binom{|U|-2}{k-2}, w_{uv}^{\sigma^2}) = \min(w_{uv}^{\sigma^2} - 0.1 \frac{1}{3^{k-1}} \binom{|U|-2}{k-2}, 0) \leq \min(w_{uv}^{\pi^{\otimes}}, 0) \leq w_{uv}^{\pi^{\otimes}}$ using the first part of the Lemma in the penultimate inequality. \square

Lemma 22.

1. $\bar{C}^{\sigma^2}(\pi^{\otimes}) \leq (1 + O(\epsilon))\binom{k}{2}OPT_U$
2. $\bar{C}^{\sigma^2}(\pi^3) \leq (1 + O(\epsilon))\binom{k}{2}OPT_U$
3. $\bar{C}^{\sigma^2}(\pi^3) - \bar{C}^{\sigma^2}(\pi^{\otimes}) = O(\epsilon OPT_U)$

Proof. From the second part of Lemma 21 and Lemma 10 we conclude that

$$\bar{C}^{\sigma^2}(\pi^{\otimes}) \leq (1 + O(\epsilon))C^{\pi^{\otimes}}(\pi^{\otimes}) = (1 + O(\epsilon))\binom{k}{2}OPT_U.$$

proving the first part of this Lemma.

The PTAS for FAST guarantees

$$\bar{C}^{\sigma^2}(\pi^3) \leq (1 + O(\epsilon))\bar{C}^{\sigma^2}(\pi^{\otimes}), \quad (5)$$

which combined with the first part of this Lemma yields the second part.

Finally the first part of Lemma 21 followed by the first part of this Lemma imply

$$\bar{C}^{\sigma^2}(\pi^3) - \bar{C}^{\sigma^2}(\pi^{\otimes}) \leq O(\epsilon)C^{\sigma^2}(\pi^{\otimes}) \leq O(\epsilon OPT_U),$$

completing the proof of the third part of this Lemma. \square

Lemma 23. $d(\pi^3, \pi^{\otimes}) = O(OPT_U/n^{k-2})$

Proof. π^3 and π^{\otimes} both have cost at most $2OPT_U$ (Lemma 22, first and second parts) for the FAST instance \bar{w}^{σ^2} (Lemma 19). \square

Lemma 24. We have $|\pi^3(v) - \pi^{\otimes}(v)| = O(\epsilon n)$ for all $v \in U$.

Proof. Fix $v \in U$. In this proof we write w (resp. \bar{w}) as a short-hand for w^{σ^2} (resp. \bar{w}^{σ^2}). Observe that there are at least $(|\pi^3(v) - \pi^{\otimes}(v)| - 1)$ vertices between $\pi^3(v)$ and $\pi^{\otimes}(v) + 1/2$ in π^3 . Any such vertex u must contribute w_{uv} to one of $b^{\bar{w}}(\pi^3, v, \pi^{\otimes}(v) + 1/2)$ and $b^{\bar{w}}(\pi^3, v, \pi^3(v))$ and contribute w_{vu} to the other. By Lemma 19 and local optimality of π^3 we have

$$\begin{aligned} (|\pi^3(v) - \pi^{\otimes}(v)| - 1) \frac{(1 - 2/10)}{3^{k-1}} \binom{|U| - 2}{k - 2} &\leq b^{\bar{w}}(\pi^3, v, \pi^{\otimes}(v) + 1/2) + b^{\bar{w}}(\pi^3, v, \pi^3(v)) \\ &\leq 2b^{\bar{w}}(\pi^3, v, \pi^{\otimes}(v) + 1/2). \end{aligned}$$

Now apply Corollary 16

$$b^{\bar{w}}(\pi^3, v, \pi^{\otimes}(v) + 1/2) \leq b^{\bar{w}}(\pi^{\otimes}, v, \pi^{\otimes}(v)) + 2\sqrt{d(\pi^{\otimes}, \pi^3)} 2 \binom{|U| - 2}{k - 2}$$

and then recall $\sqrt{d(\pi^{\otimes}, \pi^3)} = O(\epsilon n)$ by Lemma 23 and the assumption that OPT is small.

Next

$$\begin{aligned} b^{\bar{w}}(\pi^{\otimes}, v, \pi^{\otimes}(v)) &\leq (1 + O(\epsilon))b^{w^{\pi^{\otimes}}}(\pi^{\otimes}, v, \pi^{\otimes}(v)) && \text{(Second part of Lemma 21)} \\ &= (1 + O(\epsilon))b(\pi^{\otimes}, v, \pi^{\otimes}(v)) && \text{(Lemma 10)} \end{aligned} \quad (6)$$

Finally

$$\begin{aligned} b(\pi^{\otimes}, v, \pi^{\otimes}(v)) &\leq b(\sigma^1, v, \sigma^2(v)) + O(n^{k-2}(\epsilon n + \sqrt{\epsilon^2 n^2})) && \text{(Lemmas 15, 14 and 18)} \\ &= O(\epsilon n^{k-1}) && (v \in U). \end{aligned}$$

which completes the proof of the Lemma. \square

Lemma 25. $C(\pi^3) \leq (1 + O(\epsilon))OPT_U$.

Proof. First we claim that

$$|(C(\pi^3) - C(\pi^\otimes)) - (C^{\sigma^2}(\pi^3) - C^{\sigma^2}(\pi^\otimes))| \leq E_1, \quad (7)$$

where E_1 is the number of constraints that contain one pair of vertices u, v in different order in π^3 and π^\otimes and another pair $\{s, t\} \neq \{u, v\}$ with relative order in π^3 , π^\otimes and σ^2 not all equal. Indeed constraints ordered identically in π^3 and π^\otimes contribute zero to both sides of (7), regardless of σ^2 . Consider some constraint S containing a $\pi^3(v)/\pi^\otimes$ -inversion $\{u, v\} \subset S$. If the restrictions of the three orderings to S are identical except possibly for swapping u, v then S contributes equally to both sides of (7), proving the claim.

To bound E_1 observe that the number of inversions u, v is $d(\pi^3, \pi^\otimes) \equiv D$. For any u, v Lemmas 24, 18 and 20 allow us to show at most $O(\epsilon n^{k-2})$ constraints contribute, so $E_1 = O(D\epsilon n^{k-2}) = O(\epsilon OPT_U)$ (Lemma 23).

Finally bound $C^{\sigma^2}(\pi^3) - C^{\sigma^2}(\pi^\otimes) = \bar{C}^{\sigma^2}(\pi^3) - \bar{C}^{\sigma^2}(\pi^\otimes) = O(\epsilon OPT_U)$, where the equality follows from the definition of w and the inequality is the third part of Lemma 22. \square

8 Analysis of π^4

We now prove Theorem 3, that is

$$C(\pi^4) \leq (1 + O(\epsilon))OPT. \quad (8)$$

We consider three contributions to these costs separately: constraints with 0, 1, or 2+ vertices in $V \setminus U$.

The contribution of constraints with 0 vertices in $V \setminus U$ to the left- and right-hand sides of (8) are clearly $C(\pi^3)$ and $C(\pi^\otimes)$ respectively. We showed $C(\pi^3) \leq C(\pi^\otimes) + O(\epsilon)OPT_U$ in Lemma 25.

Second we consider the contribution of constraints with exactly 1 vertex in $V \setminus U$. Consider some $v \in V \setminus U$. We want to compare $b(\pi^3, v, \sigma^4(v))$ and $b((U \mapsto \pi^*), v, \pi^*(v))$. Let p be the half-integer so that $\text{Ranking}(v \mapsto p | U \mapsto \pi^\otimes) = \text{Ranking}(v \mapsto \pi^*(v) | U \mapsto \pi^*)$. The algorithm's greedy choice minimizes $b(\pi^3, v, \sigma^4(v))$ so $b(\pi^3, v, \sigma^4(v)) \leq b(\pi^3, v, p)$. Now using Lemmas 15 and 23 we have $b(\pi^3, v, p) \leq b(\pi^\otimes, v, p) + O(\sqrt{d(\pi^3, \pi^\otimes)}n^{k-2}) = b(\pi^\otimes, v, p) + O(\sqrt{OPT/n^k}n^{k-1})$. Note $b(\pi^\otimes, v, p) = b((U \mapsto \pi^*), v, \pi^*(v))$. Let $\gamma = OPT/n^k$. We conclude by Lemma 17 that the contribution of constraints with exactly 1 vertex in $V \setminus U$ is $O(|V \setminus U| \sqrt{OPT/n^k}n^{k-1}) = O(\frac{\gamma^{3/2}n^k}{\epsilon}) = O(\epsilon OPT)$.

Finally by Lemma 17 there are at most $|V \setminus U|^2 n^{k-2} = O((\frac{\gamma}{\epsilon})^2 n^2 n^{k-2}) = O(\epsilon^2 OPT)$ constraints containing two or more vertices from $V \setminus U$.

This ends the analysis of our algorithm.

9 Exact algorithms

Our exact algorithms are based on a few additional ideas. We describe our techniques for exact FAST here and defer discussion of the other problems until later. Firstly any two low-cost rankings for a FAST problem are nearby in Kendall-Tau distance. Secondly two rankings that are Kendall-Tau distance D apart are equivalent to within additive $O(\sqrt{D})$ in how good each location for each a vertex is (Corollary 16). Thirdly a consequence of fragility is that most vertices (in a low-cost instance) have a vee-shaped cost versus position curve (Lemma 27), and optimal rankings are locally optimal so we know that each vertex belongs at the bottom of its curve. The uncertainty in this curve by \sqrt{D} causes an uncertainty in the optimal position also around \sqrt{D} (Lemma 26). Our

Algorithm 2 Exact algorithm for FAST, where $K = OPT$, and KRA, where $K = OPT/m$. If dynamic programming is used in the last line the runtime and space are both $n^{O(1)} + 2^{O(\sqrt{K})}$. If divide-and-conquer is used the runtime is $n^{O(1)} + 2^{O(\sqrt{K} \log K)}$ and the space is $n^{O(1)}$.

Input: Vertex set V_0 , constraint system c_0 .

- 1: Compute a kernel with vertex set V , $|V| = O(K^2)$, and constraint system c (used for rest of algorithm) [15, 10]. Hereafter interpret notations such as $C(\cdot)$ and n relative to instance V, c , not V_0, c_0 .
 - 2: Sort the kernel V, c by wins [14], yielding ranking π^4 of V .
 - 3: Set $r(v) = 4\sqrt{2C(\pi^4)} + 2b(\pi^4, v, \pi^4(v))$ for all $v \in V$.
 - 4: Use dynamic programming or divide-and-conquer (Details: Lemma 28) to find the optimal ranking π^5 with $|\pi^5(v) - \pi^4(v)| \leq r(v)$ for all v .
 - 5: “Undo” the kernel step, extending ranking π^5 of the kernel into a ranking of V_0 as described in [15, 10].
-

Algorithm 3 Exact algorithm for weak fragile ranking 3-CSPs in tournaments. The runtime is $n^{O(1)}2^{O(\sqrt{OPT/n})}$.

Input: Vertex set V

- 1: Use Algorithm 1 to construct a 2-approximate ranking π^{good} .
 - 2: **for** each π^4 considered by our PTAS when constructing a 2-approximation **do**
 - 3: **if** $C(\pi^4) \leq 2C(\pi^{good})$ **then**
 - 4: Set $r(v) = \alpha_1\sqrt{C(\pi^4)/n} + \alpha_2b(\pi^4, v, \pi^4(v))/n$ for all $v \in V$, where α_1 and α_2 are absolute constants.
 - 5: Use dynamic programming (see Lemma 28) to find the optimal ranking π^5 with $|\pi^5(v) - \pi^4(v)| \leq r(v)$ for all v .
 - 6: **end if**
 - 7: **end for**
 - 8: Return the best of the π^5 rankings.
-

algorithm simply computes uncertainties $r(v)$ in the positions of all of the vertices v and solves a dynamic program for the optimal ranking that is near a particular constant-factor approximate ranking. We remark that Braverman and Mossel [11] and Betzler et al. [9, 10] previously applied dynamic programming to FAST and KRA.

The kernelization algorithm of Dom et al. [15] allows an arbitrary FAST instance of cost $OPT \leq K$ to be reduced to an equivalent one with $O(K^2)$ vertices in time $n^{O(1)}$. There is a kernelization algorithm for KRA in [10], but it produces an instance of size $O(OPT)$, not the desired $O(OPT/m)$. To get the desired kernel we generalize [10] slightly, creating the kernel by repeatedly discarding Concorcet winners (ranking them first) and Condorcet losers (ranking them last).

Lemma 26. *In Algorithm 2 we have $|\pi^*(v) - \pi^4(v)| \leq r(v)$ for all $v \in V$ where π^* is an optimal ranking of V .*

Proof. We have a tournament so $d(\pi^*, \pi^4) \leq C(\pi^*) + C(\pi^4) \leq 2C(\pi^4)$. By Corollary 16 therefore

$$|b(\pi^*, v, j + 1/2) - b(\pi^4, v, j + 1/2)| \leq 2\sqrt{2C(\pi^4)} \quad (9)$$

for any $j \in \mathbb{Z}$.

Fix $v \in V$. We conclude

$$\begin{aligned}
|\pi^*(v) - \pi^4(v)| &\leq b(\pi^4, v, \pi^4(v)) + b(\pi^4, v, \pi^*(v)) && \text{(Fragility)} \\
&= b(\pi^4, v, \pi^*(v) + 1/2) + b(\pi^4, v, \pi^4(v) + 1/2) && (\pi^4 \text{ is a ranking}) \\
&\leq b(\pi^*, v, \pi^*(v) + 1/2) + 2\sqrt{2C(\pi^4)} + b(\pi^4, v, \pi^4(v) + 1/2) && \text{(By (9))} \\
&\leq b(\pi^*, v, \pi^4(v) + 1/2) + 2\sqrt{2C(\pi^4)} + b(\pi^4, v, \pi^4(v) + 1/2) && \text{(Optimality of } \pi^*) \\
&\leq 4\sqrt{2C(\pi^4)} + 2b(\pi^4, v, \pi^4(v) + 1/2) && \text{(By (9))} \\
&= r(v) && \text{(Definition of } r(v)).
\end{aligned}$$

□

Lemma 27. *In Algorithm 2 we have $\max_j |\{v \in V : |\pi^4(v) - j| \leq r(v)\}| = O(\sqrt{OPT})$.*

Proof. Fix j . Let $R = \{v \in V : |\pi^4(v) - j| \leq r(v)\}$, the cardinality of which we are trying to bound. We say $v \in V$ is *pricey* if $b(\pi^4, v, \pi^4(v)) > \sqrt{2C(\pi^4)}$. Clearly (see also proof of Lemma 11) $2C(\pi^4) = \sum_v b(\pi^4, v, \pi^4(v)) \geq (\text{number pricey}) \sqrt{2C(\pi^4)}$ hence the number of pricey vertices is at most $2C(\pi^4)/(\sqrt{2C(\pi^4)}) = \sqrt{2C(\pi^4)}$. All non-pricey vertices in R have $|\pi^4(v) - j| \leq 2 \cdot \sqrt{2C(\pi^4)}$, so at most $2\sqrt{2C(\pi^4)} + 1$ non-pricey vertices are in R . We conclude $|R| \leq 3\sqrt{2C(\pi^4)} + 1 = O(\sqrt{OPT})$ since π^4 is a 5-approximation [14]. □

Lemma 28. *For $k \in \{2, 3\}$ there is a dynamic program that finds the optimal ranking π^5 with $|\pi^5(v) - \pi^4(v)| \leq r(v)$ for all v , with space and runtime $O(|V|^k)2^\psi$ where $\psi = \max_j |\{v \in V : |\pi^4(v) - j| \leq r(v)\}|$. A divide and conquer variant has runtime $O(|V|^k)2^{O(\psi \log |V|)}$ and $|V|^{O(1)}$ space.*

Proof. Say that a set $S \subseteq V$ is *valid* if it contains all vertices v with $\pi^4(v) \leq |S| - r(v)$ and no vertex v with $\pi^4(v) > |S| + r(v)$. Observe that for any s the valid sets of size s are uncertain about at most ψ vertices, hence there are at most $n2^\psi$ valid sets.

We say that a ranking π of valid set S is *valid* if $\{v : \pi(v) \leq j\}$ is a valid set for all $0 \leq j \leq |S|$. It is easy to see that a ranking π is valid if and only if satisfies $|\pi(v) - \pi^4(v)| \leq r(v)$ for all v .

For any ranking π over S let $C'(\pi)$ denote the portion of the cost shared by all orderings with prefix π . That is, the cost of all constraints with at most 1 vertex outside S .[‡] One can easily see the following optimal substructure property: prefixes of an optimal (w.r.t. C') valid ranking are optimal (w.r.t. C') valid rankings themselves.

For any valid set S let $\kappa(S)$ denote the C' cost of the optimal (w.r.t. C') valid ranking of S . The dynamic program for $k = 2$ is

$$\kappa(S) = \min_{v \in S: S \setminus \{v\} \text{ is valid}} \left[C'(S \setminus \{v\}) + \sum_{q \in V \setminus S} c(v \mapsto 1 | q \mapsto 2) \right].$$

and for $k = 3$

$$\kappa(S) = \min_{v \in S: S \setminus \{v\} \text{ is valid}} \left[C'(S \setminus \{v\}) + \sum_{u \in S \setminus \{v\}} \sum_{q \in V \setminus S} c(u \mapsto 1 | v \mapsto 2 | q \mapsto 3) \right].$$

The space-efficient variant evaluates κ using divide and conquer instead of dynamic programming, similar to [15]. Details deferred. □

[‡]For $k = 2$ (FAST) it would be more natural to use $C(\pi)$ instead, but this works better for $k = 3$.

Proof of Theorems 4 and 5. Algorithm 2 is correct by Lemma 26. Lemmas 27 and 28 allow us to bound the runtime and space requirements of the dynamic program. \square

Lemma 29. *During the iteration of Algorithm 3 that guesses σ^0 correctly we have $|\pi^*(v) - \pi^4(v)| \leq r(v)$ for all $v \in V$ where π^* is an optimal ranking of V .*

Proof. Let ϵ be the error parameter that has our PTAS giving a 2-approximation. By Lemma 23 we have $d(\pi^{\otimes}, \pi^3) = O(OPT/n^{3-2})$. This together with Lemma 17 imply that

$$d(\pi^*, \pi^4) = O(OPT/n^{3-2} + n \cdot OPT/(\epsilon n^{3-1})) = O(OPT/(\epsilon n))$$

By Lemma 15 therefore

$$|b(\pi^*, v, j + 1/2) - b(\pi^4, v, j + 1/2)| = O(n\sqrt{OPT/(\epsilon n)}) \quad (10)$$

for any $j \in \mathbb{Z}$.

Fix $v \in V$. We conclude

$$\begin{aligned} & |\pi^*(v) - \pi^4(v)| \frac{1}{(n-1)3^2} \binom{n-1}{2} \\ & \leq b(\pi^4, v, \pi^4(v) + 1/2) + b(\pi^4, v, \pi^*(v) + 1/2) && \text{(Lemma 12)} \\ & \leq b(\pi^*, v, \pi^*(v) + 1/2) + O(\sqrt{nC(\pi^4)/\epsilon}) + b(\pi^4, v, \pi^4(v) + 1/2) && \text{(By (10))} \\ & \leq b(\pi^*, v, \pi^4(v) + 1/2) + O(\sqrt{nC(\pi^4)/\epsilon}) + b(\pi^4, v, \pi^4(v) + 1/2) && \text{(Optimality of } \pi^*) \\ & \leq O(\sqrt{nC(\pi^4)/\epsilon}) + 2b(\pi^4, v, \pi^4(v) + 1/2) && \text{(By (9))} \\ & = r(v) \frac{1}{(n-1)3^2} \binom{n-1}{2} && \text{(Definition of } r(v)). \end{aligned}$$

\square

Lemma 30. *In Algorithm 3 we have $\max_j |\{v \in V : |\pi^4(v) - j| \leq r(v)\}| = O(\sqrt{C(\pi^4)/n})$.*

Proof. We proceed analogously to the proof of Lemma 27. Fix j . Let $R = \{v \in V : |\pi^4(v) - j| \leq r(v)\}$, whose cardinality we are trying to bound. We say $v \in V$ is *pricey* if $b(\pi^4, v, \pi^4(v))/n > \sqrt{2C(\pi^4)/n}$. Clearly (see also proof of Lemma 11) $3C(\pi^4) = \sum_v b(\pi^4, v, \pi^4(v)) \geq (\text{number pricey})n\sqrt{2C(\pi^4)/n}$ hence the number of pricey vertices is at most $3C(\pi^4)/(\sqrt{2nC(\pi^4)}) = \sqrt{2C(\pi^4)/n}$. All non-pricey vertices in R have $|\pi^4(v) - j| \leq 2 \cdot \sqrt{2C(\pi^4)/n}$, so at most $2\sqrt{2C(\pi^4)/n} + 1$ non-pricey vertices are in R . We conclude $|R| \leq 3\sqrt{2C(\pi^4)/n} + 1 = O(\sqrt{C(\pi^4)/n})$. \square

Proof of Theorem 6. Lemmas 28 and 30, plus the test of the "if", allow us to bound the runtime and space requirements of the dynamic program used by Algorithm 3 by $n^{O(1)}2^{O(\sqrt{C(\pi^{good})/n})}$, which is of the correct order since $C(\pi^{good}) \leq 2C(\pi^*)$. The for loop is over a constant number of options and hence does not impact the runtime.

For correctness we focus on the iteration of Algorithm 3 that guesses σ^0 correctly. The approximation guarantee of our PTAS holds for this iteration so we have $C(\pi^4) \leq 2C(\pi^*) \leq 2C(\pi^{good})$ and hence the "if" is passed. By Lemma 26 π^* is among the orders the dynamic program considers. \square

Acknowledgements

We would like to thank Venkat Guruswami, Claire Mathieu, Prasad Raghavendra and Alex Samorodnitsky for interesting remarks and discussions.

References

- [1] N. Ailon. Aggregation of Partial Rankings, p -ratings and top- m Lists. In *18th SODA*, pages 415–424, 2007.
- [2] N. Ailon. Aggregation of partial rankings, p -ratings and top- m lists. In *Procs. 18th ACM-SIAM SODA*, pages 415–424, 2007. Journal version to appear in *Algorithmica*.
- [3] N. Ailon and N. Alon. Hardness of Fully Dense Problems. *Inf. Comput.*, 205:1117–1129, 2007.
- [4] N. Ailon, M. Charikar, and A. Newman. Aggregating Inconsistent Information: Ranking and Clustering. *J. ACM*, 55, 2008.
- [5] N. Alon, W. Fernandez de la Vega, R. Kannan, and M. Karpinski. Random Sampling and Approximation of MAX-CSP Problems. In *34th ACM STOC*, pages 232–239, 2002. Journal version in *J. Comput. System Sciences* 67 (2003), pp. 212–243.
- [6] N. Alon, D. Lokshtanov, and S. Saurabh. Fast FAST. In *36th ICALP*, pages 49–58, 2009.
- [7] S. Arora, D. Karger, and M. Karpinski. Polynomial Time Approximation Schemes for Dense Instances of NP-Hard Problems. In *27th ACM STOC*, pages 284–293, 1995. Journal version in *J. Comput. System Sciences* 58 (1999), pp. 193–210.
- [8] C. Bazgan, W. Fernandez de la Vega, and M. Karpinski. Polynomial Time Approximation Schemes for Dense Instances of the Minimum Constraint Satisfaction Problem. *Random Structures and Algorithms*, 23:73–91, 2003.
- [9] N. Betzler, M. R. Fellows, J. Guo, R. Niedermeier, and F. A. Rosamond. Fixed-parameter algorithms for Kemeny scores. In *AAIM '08: Procs. 4th int'l conf. on Algorithmic Aspects in Information and Management*, pages 60–71, 2008.
- [10] N. Betzler, M. R. Fellows, J. Guo, R. Niedermeier, and F. A. Rosamond. How similarity helps to efficiently compute Kemeny rankings. In *AAMAS '09: 8th International Conference on Autonomous Agents and Multiagent Systems*, pages 657–664, 2009. Journal version in *Theoretical Computer Science* 410 (2009) pp. 4554–4570.
- [11] M. Braverman and E. Mossel. Noisy sorting without resampling. In *Procs. 19th ACM-SIAM SODA*, pages 268–276, 2008.
- [12] M. Charikar, V. Guruswami, and R. Manokaran. Every Permutation CSP of Arity 3 is Approximation Resistant. In *24th IEEE CCC*, 2009.
- [13] B. Chor and M. Sudan. A Geometric Approach to Betweenness. *SIAM J. Discrete Math.*, 11:511–523, 1998.
- [14] D. Coppersmith, L. Fleischer, and A. Rudra. Ordering by Weighted Number of Wins gives a Good Ranking for Weighted Tournaments. In *Procs. 17th ACM-SIAM SODA*, pages 776–782, 2006.
- [15] M. Dom, J. Guo, F. Hüffner, R. Niedermeier, and A. Truß. Fixed-Parameter Tractability Results for Feedback Set Problems in Tournaments. In *LNCS*, volume 3998, pages 320–331. Springer, 2006.

- [16] W. Fernandez de la Vega, R. Kannan, and M. Karpinski. Approximation of Global MAX-CSP Problems. Technical Report TR06-124, Electronic Colloquium on Computation Complexity, 2006.
- [17] A. Frieze and R. Kannan. Quick Approximation to Matrices and Applications. *Combinatorica*, 19:175–220, 1999.
- [18] G. Gutin, E. J. Kim, M. Mnich, and A. Yeo. Ordinal embedding relaxations parameterized above tight lower bound. *CoRR/arXiv*, abs/0907.5427, 2009.
- [19] M. Karpinski and W. Schudy. Linear Time Approximation Schemes for the Gale-Berlekamp Game and Related Minimization Problems. In *41st ACM STOC*, pages 313–322, 2009.
- [20] C. Mathieu and W. Schudy. How to Rank with Few Errors. In *39th ACM STOC*, pages 95–103, 2007. In Submission http://www.cs.brown.edu/~ws/papers/fast_journal.pdf, 2009.
- [21] C. Mathieu and W. Schudy. Yet Another Algorithm for Dense Max Cut: Go Greedy. In *Proc. 19th ACM-SIAM SODA*, pages 176–182, 2008.
- [22] J. Opatrny. Total Ordering Problem. *SIAM J. Comput.*, 8:111–114, 1979.
- [23] M. Rudelson and R. Vershynin. Sampling from Large Matrices: An Approach through Geometric Functional Analysis. *J. ACM*, 54:21, 2007.
- [24] S. Saurabh. Chromatic coding and universal (hyper-) graph coloring families. In *Parameterized Complexity News*, pages 3–4, June 2009. http://mrfellows.net/Newsletters/2009June_FPT_News.pdf.